



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/652,734	08/31/2000	Edward F. Bachner III	MBHB00-399	3628

20306 7590 07/14/2004

MCDONNELL BOEHNEN HULBERT & BERGHOFF LLP
300 S. WACKER DRIVE
32ND FLOOR
CHICAGO, IL 60606

EXAMINER

FERGUSON, KEITH

ART UNIT	PAPER NUMBER
2683	12

DATE MAILED: 07/14/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/652,734

Applicant(s)

BACHNER ET AL.

Examiner

Keith T. Ferguson

Art Unit

2683

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 02 April 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-80 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-7, 9-27 and 29-78 is/are rejected.
- 7) ☒ Claim(s) 8-28, 79 and 80 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____

Art Unit: 2683

DETAILED ACTION

Response to Arguments

1. Applicant's arguments with respect to claims 1-80 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-5, 9-15, 18, 33, 34, 37-43, 46-60, 63-66, 68, 70, 71 and 74-78 are rejected under 35 U.S.C. 103(a) as being unpatentable over Criss et al. in view of Wecker et al., newly cited reference.

Regarding claims 1, 4, 33, 56, 59 and 70, Criss et al. discloses a wireless intelligent personal server (mobile terminal) (wireless display system) (fig. 2), comprising: a radio frequency (Rf) receiver for receiving downstream data transmitted over a first wireless communications channel (paragraph 0056); a memory (fig. 1 number 50); a central processing unit (CPU) (fig. 1 number 40); a set of embedded machine language instructions,

Art Unit: 2683

said set of embedded machine language instructions being executable by said CPU for processing said downstream data to provide at least one electronic file in said memory (paragraphs 0075, 0076 and 0082). Criss et al. differs from claims 1, 56 and 70 of the present invention in that it does not explicitly disclose a first interface for allowing an external (separate) display device to access an electronic file. Wecker et al. teaches a first interface (sync. Component) (fig. 1 number 28) for allowing an external (separated) display (fig. 1 number 16 and fig. 5 number 77) device to selectively access an electronic file (col. 4 lines 6-34 and claim 1, col. 15 lines 19-30, claim 10, col. 16 lines 9-15 and claim 11, col. 16 lines 15-24). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Criss et al. (mobile terminal) with a first interface for allowing an external (separated) display device to selectively access an electronic file in order to upload a software file of the mobile terminal with a software file of the host so that each can compare or exchange information with one another so that the latest version of software is implemented, as taught by Wecker et al..

Regarding claims 2, 34, 57, 58 and 71, Criss et al. discloses said downstream data reflects changes made to at least one source electronic file (files do not match or new) (paragraph 0075), said at least one is electronic file being an updated version of at least one existing electronic file stored in said memory (paragraph 0075).

Regarding claim 3, Criss et al. discloses wherein said at least one electronic file is a new electronic file (paragraph 0075 and 0076).

Regarding claims 5 and 60, Criss et al. discloses said first interface (fig. 2 number 42) (keypad) allows said external display device to change said at least one electronic file (paragraph 0094).

Regarding claims 9, 37, 47, 52, 54 and 63, Criss et al. discloses a radio frequency (RF) transmitter for transmitting at

Art Unit: 2683

least one signal over a second wireless communications channel (paragraph 0057).

Regarding claims 10,38,48,53,55,64 and 74, Criss et al. discloses said RF transmitter transmits an acknowledgement signal over said second wireless communications channel when said RF receiver receives said downstream data (paragraph 0072 and 0073).

Regarding claims 11,39,65 and 75, Criss et al. discloses said RF transmitter transmits upstream data over said second wireless communications channel, said upstream data reflecting changes to said at least one electronic file made by said external display device (paragraph 0094 and 0095).

Regarding claims 12 and 40, Criss et al. discloses a second interface (keypad or touch sensitive screen) for controlling a wireless telephone to transmit at least one signal (paragraph 0053).

Regarding claims 13,41 and 77, Criss et al. discloses said second interface controls said wireless telephone to transmit an acknowledgement signal when said RF receiver receives said downstream data (paragraphs 0053 and 0072).

Regarding claims 14,42,49,50 and 78, Criss et al. discloses said second interface controls said wireless telephone to transmit upstream data, said upstream data reflecting changes to said at least one electronic file made by said external display device (paragraph 0094 and 0095).

Regarding claims 15,43 and 76, Criss et al. discloses a battery for powering said wireless intelligent personal server (fig. 17 number 505).

Regarding claims 18 and 66, Criss et al. discloses a bar-code input for connecting a bar-code reader (fig 2 number 44).

Art Unit: 2683

Regarding claims 20 and 68, Criss et al. discloses a keyboard input for connecting an external keyboard (paragraph 0053).

Regarding claims 46 and 51, Criss et al. discloses a method for updating a target electronic file to reflect changes made to a source electronic file (paragraph 0015), comprising a wireless intelligent personal server (mobile terminal) (wireless display system) (fig. 2), comprising: a radio frequency (Rf) receiver for receiving downstream data transmitted over a first wireless communications channel (paragraph 0056); a memory (fig. 1 number 50); a central processing unit (CPU) (fig. 1 number 40); a set of embedded machine language instructions, said set of embedded machine language instructions being executable by said CPU for processing said downstream data to provide at least one electronic file in said memory (paragraphs 0075, 0076 and 0082). Criss et al. differs from claims 46 and 51 of the present invention in that it does not explicit disclose a first interface for bringing an external display device to access an electronic file. Wecker et al. teaches a first interface (sync. Component) (fig. 1 number 28) for bringing an external (separated) display (fig. 1 number 16 and fig. 5 number 77) device to access an electronic file (col. 4 lines 6-34). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Criss et al. (mobile terminal) with a first interface for bringing an external (separated) display device to access an electronic file in order to synchronized a downloaded file of the mobile terminal with a personal computer so that each can exchange information or share information with on another, as taught by Wecker et al..

4. Claims 6, 7, 35, 36, 61, 62, 72 and 73 are rejected under 35 U.S.C. 103(a) as being unpatentable over Criss et al. in view of Wecker et al. as applied to claims 1, 33, 56, 70 above and in further view of Grew et al..

Regarding claims 6, 7, 35, 36, 61, 62, 72 and 73, the combination of Criss et al. and Wecker et al. differs from claims 6, 7, 35,

Art Unit: 2683

36,61,62,72 and 73 of the present invention in that they do not disclose said external display device is a personal digital assistant (PDA). Grew et al., teaches said external display device is a personal digital assistant (PDA) (fig. 2 and col. 1 lines 55-64). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the combination of Criss et al. and Wecker et al. with said external display device is a personal digital assistant (PDA) in order to have a small personal computer that an user could view download updated software file sent from the host computer, as taught by Grew et al..

5. Claims 16 and 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Criss et al. in view of Wecker et al. as applied to claims 1,12,15 and 33 above and in further view of Gombrich.

Regarding claims 16 and 44, the combination of Criss et al. and Wecker et al. differs from claims 16 and 44 of the present invention in that they do not disclose first power contacts for electrically connecting to recharger contacts disposed on said external display device; and a first power management circuit for selectively connecting said battery to said first power contacts. Gombrich teaches first power contacts for electrically

Art Unit: 2683

connecting to recharger contacts disposed on said external display device (col. 8 line 57-col. 9 line 14); and a first power management circuit for selectively connecting said battery to said first power contacts (col. 7 lines 35-40). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the combination of Criss et al. and Wecker et al. with first power contacts for electrically connecting to recharger contacts disposed on said external display device; and a first power management circuit for selectively connecting said battery to said first power contacts in order to recharge said display when reviewing download files, as taught by Gombrich.

6. Claims 17 and 45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Criss et al. in view of Wecker et al. as applied to claims 1,12,14,43, and 33 above and in further view of Shimura.

Regarding claims 17 and 45, the combination of Criss et al. and Wecker et al. differs from claims 17 and 45 of the present invention in that they do not disclose a second power contacts for electrically connecting to recharger contacts disposed on said wireless telephone; and a second power management circuit for selectively connecting said battery to said second power

Art Unit: 2683

contacts. Shimura teaches a power contacts for electrically connecting to recharger contacts disposed on said wireless telephone (fig. 2 numbers 31a-31c; and a power management circuit (fig. 2 number 34) for selectively connecting said battery to said power contacts (col. 2 lines 47-54). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the combination of Criss et al. and Wecker et al. with a second power contacts for electrically connecting to recharger contacts disposed on said wireless telephone; and a second power management circuit for selectively connecting said battery to said second power contacts in order to recharge the mobile terminal when the battery is low, as taught by Shimura.

7. Claims 19,20,21,67 and 69 are rejected under 35 U.S.C. 103(a) as being unpatentable over Criss et al. in view of Wecker et al. as applied to claims 1 and 56 above and in further view of Ausems et al..

Regarding claims 19,20,21,67 and 69, the combination of Criss et al. and Wecker et al. differs from claims 19,20,21,67 and 69 of the present invention in that they do not disclose a GPS input for connecting a global positioning system (GPS) receiver and a card reader input for connecting a card reader.

Art Unit: 2683

Ausems et al. teaches a GPS input for connecting a global positioning system (GPS) receiver (col. 5 lines 35-46) and a card reader input for connecting a card reader (col. 3 lines 15-20 and col. 5 lines 46-54). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the combination of Criss et al. and Wecker et al. with a GPS input for connecting a global positioning system (GPS) receiver and a card reader input for connecting a card reader in order to determine the mobile terminal position and provide access to a wireless network by using its SIM card, as taught by Ausems et al..

8. Claims 22-25, 29 and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Criss et al. in view of Gerszberg, newly cited reference.

Regarding claims 22-24, Criss et al. discloses a wireless intelligent personal server (mobile terminal) (fig. 2), comprising: a radio frequency (Rf) receiver for receiving downstream data transmitted over a first wireless communications channel (paragraph 0056); a memory (fig. 1 number 50); a central processing unit (CPU) (fig. 1 number 40); a set of embedded machine language instructions, said set of embedded machine language instructions being executable by said CPU for processing said downstream data to provide at least one electronic file in said memory (paragraphs 0075, 0076 and 0082); and a first interface for allowing an external display (i.e. read only access) device to access said at least one electronic file (paragraph 0094). Criss et al. differs from claim 22 of the present invention in that it do not disclose a wireless telephone in communication with said wireless intelligent personal server, said wireless intelligent personal server causes

Art Unit: 2683

said wireless telephone to transmit an acknowledgment signal over a second wireless communication channel. Gerszberg teaches a wireless telephone (fig. 1 number 101) in communication with said wireless intelligent personal server (fig. 1 number 105), said wireless intelligent personal server causes said wireless telephone to transmit an acknowledgment signal over a second wireless communication channel (col. 4 line 67 through col. 5 line 42). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made To provide Criss et al. with a wireless telephone in communication with said wireless intelligent personal server, said wireless intelligent personal server causes said wireless telephone to transmit an acknowledgment signal over a second wireless communication channel in order for a wireless telephone to send an acknowledgment that the updated files sent are received within the wireless telephone, as taught by Gerszberg.

Regarding claim 25, Criss et al. discloses said first interface (fig. 2 number 42) (keypad) allows said external display device to change said at least one electronic file (paragraph 0094).

Regarding claim 29, Criss et al. discloses said mobile terminal transmits upstream data over said second wireless communications channel, said upstream data reflecting changes to said at least one electronic file made by said external display device (paragraph 0094 and 0095).

Regarding claim 30, Criss et al. discloses a battery for powering said wireless intelligent personal server (fig. 17 number 505).

9. Claims 26 and 27 is rejected under 35 U.S.C. 103(a) as being unpatentable over Criss et al. in view of Gerszberg as applied to claims 22 and 23 above and in further view of Grew et al..

The combination of Criss et al. and Gerszberg differs from claims 26 and 27 of the claimed invention in that they do not disclose said external display device is a personal digital assistant (PDA). Grew et al. teaches said external display device is a personal digital assistant (PDA) (fig. 2 and col. 1 lines 55-64). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the combination of Criss et al. and Gerszberg with said external display device is a personal digital assistant (PDA) in

Art Unit: 2683

order to have a small personal computer that an user could view download updated software file sent from the host computer, as taught by Grew et al..

10. Claim 31 is rejected under 35 U.S.C. 103(a) as being unpatentable over Criss et al. in view of Gerszberg as applied to claims 22 and 30 above and in further view of Shimura.

The combination of Criss et al. and Gerszberg differs from claims 31 of the claimed invention in that they do not disclose a first power contacts electrically connected to recharger contacts disposed on said wireless telephone; and a first power management circuit for selectively connecting said battery to said first power contacts. Shimura teaches a power contacts for electrically connecting to recharger contacts disposed on said wireless telephone (fig. 2 numbers 31a-31c; and a power management circuit (fig. 2 number 34) for selectively connecting said battery to said power contacts (col. 2 lines 47-54). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the combination of Criss et al. and Gerszberg with a second power contacts for electrically connecting to recharger contacts disposed on said wireless telephone; and a second power management circuit for selectively connecting said battery to said second power contacts in order to recharge the mobile terminal when the battery is low, as taught by Shimura.

11. Claim 32 is rejected under 35 U.S.C. 103(a) as being unpatentable over Criss et al. in view of Gerszberg as applied to claims 22 and 30 above and in further view of Gombrich.

The combination of Criss et al. and Gerszberg differs from claim 32 of the claimed invention in that they do not disclose a second power contacts electrically connected to recharger contacts disposed on said external display device; and a second power management circuit for selectively connecting said battery to said first power contacts. Gombrich teaches first power contacts for electrically connecting to recharger contacts disposed on said external display device (col. 8 line 57-col. 9 line 14); and a first power management circuit for selectively connecting said battery to said first power contacts (col. 7 lines 35-40). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the combination of Criss et al. and Gerszberg with first power contacts for electrically connecting to recharger contacts disposed on said external display device; and a first power

Art Unit: 2683

management circuit for selectively connecting said battery to said first power contacts in order to recharge said display when reviewing download files, as taught by Gombrich.

Allowable Subject Matter

12. Claims 8,28,79 and 80 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Keith T. Ferguson whose telephone number is (703) 305-4888. The examiner can normally be reached on 6:30am-5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Trost can be reached on (703) 308-5318. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2683

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Keith Ferguson
Art Unit 2683
July 6, 2004

